



SLATE/Mica • SLA209 SLATE/Magnet • SLA145




Raw like gravel on the sidewalk. This STONE style set is solid in color, meant to be obscure and give emphasis to the interior design elements and bounce back light sources to give the room its effervescent glow.













POLISHED CONCRETE/Scoring • PLC67 POLISHED CONCRETE/Polish • PLC144



Bright and invigorating. This STONE set features naturally formed patterns with a polished finish. It amplifies the sense of lightness in a room, pumping up the energy for fruitful discussions.












ARTS AVENUE/Fairmount • ASA209 ARTS AVENUE/Boathouse • ASA180 ARTS AVENUE/Logan • ASA153

The right environment breeds creativity.
This STONE style set features marble-like patterns in muted colors that easily make

This STONE style set features marble-like patterns in muted colors that easily make the surroundings pop; its subtlety makes it a good choice for artistic work spaces.










PORCELAIN derives inspiration from faux marble or ceramic tiles, created to mimic the look of natural stone. To the untrained eye, some high quality porcelain tiles look and feel incredibly like natural stone.



PORCELAIN/Cream • POR48





Grand but not overbearing. This STONE style features porcelain-like floorings that elevate a room or a hall with a new type of sophistication, one that is aspiring and down-to-earth at the same time.












CHALKBOARD/Iron • CKB5 CHALKBOARD/Meta • CKB133



No frills, no pretensions. This STONE style set is more on the rustic side with its rough edges serving as its main appeal. Perfectly suits a laid-back setting where everyone can take a breather.













TANGIBLE/Dawn • TGB6
TANGIBLE/Twilight • TGB250



Playful and welcoming. This STONE style set impresses with its smoothness and friendly undertones - a refreshing sight to see after a long day.











Stane Median



Surface Study







SLATE SLA209 Mica





SLATE SLA145 Magnet

Metro Park Wood

CHARTER OAK COK144 Smoke





ARTS AVENUE
ASA180 Boathouse

CENTER ACCENT CTA262



EAST EST262-153



CENTER NEUTRAL CTN153



Boundaries



CENTER ACCENT CTA200-202



CENTER NEUTRAL CTN153



NEUTRAL NORTH WEST NORTH NNW200-202-153 NOR200-202-153






NEUTRAL NORTH EAST EAST NNE200-202-153 EST200-202-153





NEUTRAL SOUTH WEST SOUTH SOU200-202-153






NEUTRAL SOUTH EAST WEST WST200-202-153





ARTS AVENUE/Boathouse ASA180





PORCELAIN POR48 Cream

Comfortable Concrete



LAID BARE LDB154-180 Powder



LAID BARE LDB154-180 Powder



URBAN POETRY UPY154-180-261 Powder Rose



PORCELAIN POR48 Cream

Metro Park Wood



HICKORY HCK22-20 Parchment





CHALKBOARD CKB5 Iron







CHALKBOARD CKB5 Iron

Metro Park Wood



ROYAL OAK ROK176 knight

Snowflake with Mid Gray





TANGIBLE TGB250 Twilight



LIVE OAK LOK18 Jacobean










PLUS




ULTRA PLUS158-140 Arctic C ULT139-140 Arctic C



STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular carpet, luxury vinyl Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.



Wear Layer Thickness 22 mil (0.55 mm)

1. PROGUARD™ REINFORCED POLYURETHANE

Provides superior stain and scratch resistance, eliminates the need for polishes/waxes, for reduced maintenance costs and improved Indoor Air Quality (IAQ) performance

2. WEAR LAYER

Transparent embossed 0.55 mm wear layer provides protection and appearance retention in demanding commercial environments

3. PRINTED LAYER

 $\label{thm:limit} \mbox{High-resolution printed film delivers stunning realistic visuals of wood and stone}$

4. SECURELOCK™ RIGID LAYER

This stable layer provides unsurpassed durability that also hides subfloor imperfections, with a locking mechanism that allows for quick and easy adhesive-free installation

5. INTEGRAL ACOUSTIC BACKING

Pre-attached underlayment minimizes sound, is shock absorbent, provides comfort underfoot and further assists with concealment of subfloor imperfections

PROGUARD™ 增强PU涂层

超强抗污抗刮擦性能, 无需打蜡抛光, 减少维护保养成本, 提升室内空气质量

耐磨

采用0.55mm透明压花耐磨层, 满足商用环境 的使用要求

印花层

高清晰度的印刷彩膜提供逼真的图像

SECURELOCK™ 硬核层

采用硬质核心层工艺, 更结实耐用, 有效应对 地面基层缺陷, 锁扣免胶安装更方便, 更环保

自带隔音垫

产品自带的隔音垫减少楼层间噪音传导,提高脚感舒适度,并且帮助应对地面基层缺陷

SPC that works harder and smarter



RIGIDFORM

- Holds heavy loads, i.e. lobby desks
- No acclimation or deformation from temperature
- Can install on raised floor
- Acoustic layer attached , reduce noise transmission, improve underfoot comfort

硬核工艺

- · 更耐重压
- · 无需适温, 温差不易变形
- · 可在高架地板安装
- ・自帯隔音垫, 減少噪音, 提高 脚感舒适度



SECURELOCK

- Strong and durable edge profile
- Waterproof locking mechanism
- Easy installation
- Adhesive-free installation, improve indoor air quality

安全锁扣

- 锁扣结实耐用, 不易开裂
- 防水锁扣
- 安装方便
- 免胶安装, 更环保



PROGUARD

Scratch- and scuff-resistant

- Resists stains and chemicals
- Easy maintenance, no need for polish/wax

专业表层防护

- 耐刮擦
- 耐污迹,耐化学物质
- 方便日常打理, 无需打磨打蜡

WARRANT'

Milliken Luxury Vinyl Tile products are backe by a 15 year Heavy Commercial & Lifetime wea warranty, ensuring quality and giving peace of mind.

ENHANCED INVENTORY PROGRAM

With an enhanced inventory level for large installations containing select patterns and colors, Milliken's Asia based inventory system makes it easy to respond as quickly as possible to your project needs.



METRO PARK STONE

RIGIDFORM™**SPC**

Construction - High Performance Rigid Core Flooring

Finish - ProGuard™ Reinforced Polyurethane Coating

Wear Layer Thickness - 0.55 mm

Size - 18" x 36" (45.7 x 91.4 cm)

Overall Thickness - 6.2 mm

Pieces Per Box - 5 PCS

Weight Per Box - 20.1 kg

Quantity Per Box - 2.17 m²

Edge Profile - Micro Bevel

Critical Radiant Flux (ASTM E648) - Pass - Class I

Smoke Density (ASTM E662) - Pass - ≤ 450

Heat Stability by Color Change (ASTM F1514) - Pass

Light Stability (ASTM F1515) - Pass

Static Coefficient of Friction (ASTM D2047) - Pass

Determination of Dimensional Stability & Curling after Exposure to Heat (ISO 23999)

- Pass

Resistance to Chemicals(ASTM F925) - Pass

Static Load Limit (ASTM F970) - Pass

 $\textbf{Installation} \text{ -} \mathsf{SecureLock}^{\mathsf{TM}} \mathsf{ locking mechinism}$

Warranty - 15 Year Limited Commercial Wear Warranty

组织结构 - 高性能硬核地板

表层工艺 - ProGuard[™]增强聚氨酯涂层

耐磨层厚度 - 0.55 mm

尺寸 - 18" x 36" (45.7 x 91.4 cm)

总厚度 - 6.2 mm

每箱片数 -5片

每箱重量 - 20.1 kg

每箱数量 - 2.17 m²

倒角类型 - 微倒角

临界辐射通量(阻燃性)(ASTM E648)-通过,一级

抗烟雾浓度 (ASTM E662) - 通过 - ≤ 450

耐热性能 (ASTM F1514) - 通过

耐光性能 (ASTM F1515) - 通过

静摩擦系数 (ASTM D2047) - 通过

受热尺寸稳定性及翘曲 (ISO 23999)

- 诵讨

耐化学性能 (ASTM F925) - 通过

静态载荷极限 (ASTM F970) - 通过

安装方式 - 安全锁扣系统

质保 - 15年商用耐磨层有限质保

LVT ENVIRONMENTAL STANDARDS

Milliken LVT is highly durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics. Milliken LVT is 100% ortho-phthalate-free. Milliken LVT is manufactured at facilities that are ISO 9001 and ISO 14001 compliant.









Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual product samples to make your final selections.

China

Beijing/Tianjin T +86 10 6465 1206 Hong Kong T +852 3956 2259 Shanxi

T +86 181 1702 5160

Guangzhou

T +86 189 2279 2198

Shenzhen

T+86 181 1603 8035/+86 181 1624 5737
Shanghai/Zhejiang/Jiangsu/Hunan/Hubei/
Jiangxi/Anhui/Sichuan/Chongqing
T+86 21 6145 1758

India Bangalore

T +91 98459 14059 Chennai T +91 98408 98963 Delhi T +91 88514 12740

T +91 98926 00362

Rest of Asia

Manila T +63 915 816 7127 Seoul T +82 2 3783 0747 Singapore T +65 6593 1301 Tokyo T +81 3 5203 8406 Jakarta

T +6221 2960 7222



www.millikencarpet.com

2710030841 Issued Aug 2020